

Uplands

Option Code	UP3	Management of Moorland		
Parcel Information	Name:	Kinsgdale	Parcel Area:	33.7790 ha
	Parcel No.:	SD6977 6097	Option Quantity:	0.1767 ha
Aim (not binding)	To maintain and restore moorland priority habitats and ecosystem function, species, protect historic features and strengthen landscape character.			
Eligibility Rules	E213	Only available on parcels above the Moorland Line, which cross the Moorland Line or contribute to a single grazing unit with parcels above the Moorland Line.		
	E214	Only available on parcels above the stock-proof boundary of enclosed in-bye land including large enclosures adjacent to moorland, such as allotments, intakes and newtakes, which contain vegetation typical of semi-natural moorland habitats.		
	E215	Only available on parcels that contain one or more moorland priority habitats and/or species.		
Prescriptions	P10	Only use pesticides, including herbicides, to spot-treat for the control of injurious weeds, invasive non-natives, nettles, rushes or bracken.		
	P112	Carry out a Wildfire Risk Assessment and agree a Wildfire Response Plan with the local Fire Service. Provide and maintain fire control measures, as detailed in the Wildfire Response Plan.		
	P189	Do not harrow or roll		
	P2	Do not apply any fertilisers or manures.		
	P299	Prevent additional scrub encroachment on historic or archaeological features.		
	P3	Do not apply any lime.		
	P30	Do not plough, cultivate or re-seed		
	P300	Prevent the spread of bracken on historic and archaeological features.		
	P32	Only undertake or permit vehicular access on agreed routes as identified in UP3 Map of Agreed routes for vehicular access. Do not create new tracks for vehicle access.		
	P35	There must be no supplementary feeding.		
	P441	Only carry out mechanical operations or allow other activities that may cause disturbance to breeding birds between 1 September and 28 February.		
	P593	Only graze the parcel in accordance with the stocking calendar which includes minimum and maximum stocking rates by grazing animal type by month.		
	P666	Maintain an annual record of active graziers with their numbers and types of stock for the period of the agreement.		
	P673	Agree all drainage works, including modification to existing drainage, in writing with Natural England before undertaking any works.		
	P705	Keep a monthly record of stock numbers grazing on the parcels. The record must include the number of animals by species cattle/sheep and		

		the number of grazing days by each species. Make the record available on request.
	P715	Where there is vegetation that has over 50% cover of heather and exceeds 30cm in height: Burning and / or cutting on blanket bog and wet heath areas shown on the BEHTA map may be carried out only as part of a restoration plan or wildfire risk management plan agreed with Natural England.
	P718	Notify any accidental burns, those that do not follow good practice or any burns that affect areas that should not be burned to Rural Payments Agency within one week.
Indicators of Success (not binding)		
	IOS107	
	IOS108	
	IOS109	
	IOS110	For areas of blanket bog there should be: By year 5, at least frequent bog-mosses (Sphagnum), with less than 10% damaged (dead/bleached or crushed/broken/pulled). By year 5, between 20% and 75% cover of dwarf shrubs (except when bog-mosses (Sphagnum) or other wetland indicators are dominant), with at least two species at least frequent. By year 5, at least frequent flowering cotton-grass/grasses and sedges/heathers and / wetland herbs in season. By year 5, cover of cotton-grass, deer-grass and purple moor-grass individually less than 75%.
	IOS111	
	IOS112	
	IOS113	
	IOS114	
	IOS115	
	IOS42	
	IOS43	
	IOS44	

Option Code	UP3		Management of Moorland	
Parcel Information	Name:	Kinsgdale	Parcel Area:	33.7790 ha
	Parcel No.:	SD6977 6097	Option Quantity:	20.1928 ha
Aim (not binding)	To maintain and restore moorland priority habitats and ecosystem function, species, protect historic features and strengthen landscape character.			
Eligibility Rules	E213	Only available on parcels above the Moorland Line, which cross the Moorland Line or contribute to a single grazing unit with parcels above the Moorland Line.		
	E214	Only available on parcels above the stock-proof boundary of enclosed in-bye land including large enclosures adjacent to moorland, such as allotments, intakes and newtakes, which contain vegetation typical of semi-natural moorland habitats.		
	E215	Only available on parcels that contain one or more moorland priority habitats and/or species.		
	Prescriptions	P10	Only use pesticides, including herbicides, to spot-treat for the control of injurious weeds, invasive non-natives, nettles, rushes or bracken.	
P112		Carry out a Wildfire Risk Assessment and agree a Wildfire Response Plan with the local Fire Service. Provide and maintain fire control measures, as detailed in the Wildfire Response Plan.		
P189		Do not harrow or roll		
P2		Do not apply any fertilisers or manures.		
P299		Prevent additional scrub encroachment on historic or archaeological features.		
P3		Do not apply any lime.		
P30		Do not plough, cultivate or re-seed		
P300		Prevent the spread of bracken on historic and archaeological features.		
P32		Only undertake or permit vehicular access on agreed routes as identified in UP3 Map of Agreed routes for vehicular access. Do not create new tracks for vehicle access.		
P35		There must be no supplementary feeding.		
P441		Only carry out mechanical operations or allow other activities that may cause disturbance to breeding birds between 1 September and 28 February.		
P593		Only graze the parcel in accordance with the stocking calendar which includes minimum and maximum stocking rates by grazing animal type by month.		
P666		Maintain an annual record of active graziers with their numbers and types of stock for the period of the agreement.		
P673		Agree all drainage works, including modification to existing drainage, in writing with Natural England before undertaking any works.		
P705	Keep a monthly record of stock numbers grazing on the parcels. The record must include the number of animals by species cattle/sheep and the number of grazing days by each species. Make the record available on request.			

	P715	Where there is vegetation that has over 50% cover of heather and exceeds 30cm in height: Burning and / or cutting on blanket bog and wet heath areas shown on the BEHTA map may be carried out only as part of a restoration plan or wildfire risk management plan agreed with Natural England.
	P718	Notify any accidental burns, those that do not follow good practice or any burns that affect areas that should not be burned to Rural Payments Agency within one week.
Indicators of Success (not binding)		
	IOS107	
	IOS108	
	IOS109	
	IOS110	For areas of blanket bog there should be: By year 5, at least frequent bog-mosses (Sphagnum), with less than 10% damaged (dead/bleached or crushed/broken/pulled). By year 5, between 20% and 75% cover of dwarf shrubs (except when bog-mosses (Sphagnum) or other wetland indicators are dominant), with at least two species at least frequent. By year 5, at least frequent flowering cotton-grass/grasses and sedges/heathers and / wetland herbs in season. By year 5, cover of cotton-grass, deer-grass and purple moor-grass individually less than 75%.
	IOS111	
	IOS112	
	IOS113	
	IOS114	
	IOS115	
	IOS42	
	IOS43	
IOS44		

Option Code	UP3		Management of Moorland	
Parcel Information	Name:	Kinsgdale	Parcel Area:	33.7790 ha
	Parcel No.:	SD6977 6097	Option Quantity:	0.5039 ha
Aim (not binding)	To maintain and restore moorland priority habitats and ecosystem function, species, protect historic features and strengthen landscape character.			
Eligibility Rules	E213	Only available on parcels above the Moorland Line, which cross the Moorland Line or contribute to a single grazing unit with parcels above the Moorland Line.		
	E214	Only available on parcels above the stock-proof boundary of enclosed in-bye land including large enclosures adjacent to moorland, such as allotments, intakes and newtakes, which contain vegetation typical of semi-natural moorland habitats.		
	E215	Only available on parcels that contain one or more moorland priority habitats and/or species.		
	Prescriptions	P10	Only use pesticides, including herbicides, to spot-treat for the control of injurious weeds, invasive non-natives, nettles, rushes or bracken.	
P112		Carry out a Wildfire Risk Assessment and agree a Wildfire Response Plan with the local Fire Service. Provide and maintain fire control measures, as detailed in the Wildfire Response Plan.		
P189		Do not harrow or roll		
P2		Do not apply any fertilisers or manures.		
P299		Prevent additional scrub encroachment on historic or archaeological features.		
P3		Do not apply any lime.		
P30		Do not plough, cultivate or re-seed		
P300		Prevent the spread of bracken on historic and archaeological features.		
P32		Only undertake or permit vehicular access on agreed routes as identified in UP3 Map of Agreed routes for vehicular access. Do not create new tracks for vehicle access.		
P35		There must be no supplementary feeding.		
P441		Only carry out mechanical operations or allow other activities that may cause disturbance to breeding birds between 1 September and 28 February.		
P593		Only graze the parcel in accordance with the stocking calendar which includes minimum and maximum stocking rates by grazing animal type by month.		
P666		Maintain an annual record of active graziers with their numbers and types of stock for the period of the agreement.		
P673		Agree all drainage works, including modification to existing drainage, in writing with Natural England before undertaking any works.		
P705	Keep a monthly record of stock numbers grazing on the parcels. The record must include the number of animals by species cattle/sheep and the number of grazing days by each species. Make the record available on request.			

	P715	Where there is vegetation that has over 50% cover of heather and exceeds 30cm in height: Burning and / or cutting on blanket bog and wet heath areas shown on the BEHTA map may be carried out only as part of a restoration plan or wildfire risk management plan agreed with Natural England.
	P718	Notify any accidental burns, those that do not follow good practice or any burns that affect areas that should not be burned to Rural Payments Agency within one week.
Indicators of Success (not binding)		
	IOS107	
	IOS108	
	IOS109	
	IOS110	For areas of blanket bog there should be: By year 5, at least frequent bog-mosses (Sphagnum), with less than 10% damaged (dead/bleached or crushed/broken/pulled). By year 5, between 20% and 75% cover of dwarf shrubs (except when bog-mosses (Sphagnum) or other wetland indicators are dominant), with at least two species at least frequent. By year 5, at least frequent flowering cotton-grass/grasses and sedges/heathers and / wetland herbs in season. By year 5, cover of cotton-grass, deer-grass and purple moor-grass individually less than 75%.
	IOS111	
	IOS112	
	IOS113	
	IOS114	
	IOS115	
	IOS42	
	IOS43	
IOS44		

Option Code	UP3		Management of Moorland	
Parcel Information	Name:	Kinsgdale	Parcel Area:	33.7790 ha
	Parcel No.:	SD6977 6097	Option Quantity:	12.9056 ha
Aim (not binding)	To maintain and restore moorland priority habitats and ecosystem function, species, protect historic features and strengthen landscape character.			
Eligibility Rules	E213	Only available on parcels above the Moorland Line, which cross the Moorland Line or contribute to a single grazing unit with parcels above the Moorland Line.		
	E214	Only available on parcels above the stock-proof boundary of enclosed in-bye land including large enclosures adjacent to moorland, such as allotments, intakes and newtakes, which contain vegetation typical of semi-natural moorland habitats.		
	E215	Only available on parcels that contain one or more moorland priority habitats and/or species.		
	Prescriptions	P10	Only use pesticides, including herbicides, to spot-treat for the control of injurious weeds, invasive non-natives, nettles, rushes or bracken.	
P112		Carry out a Wildfire Risk Assessment and agree a Wildfire Response Plan with the local Fire Service. Provide and maintain fire control measures, as detailed in the Wildfire Response Plan.		
P189		Do not harrow or roll		
P2		Do not apply any fertilisers or manures.		
P299		Prevent additional scrub encroachment on historic or archaeological features.		
P3		Do not apply any lime.		
P30		Do not plough, cultivate or re-seed		
P300		Prevent the spread of bracken on historic and archaeological features.		
P32		Only undertake or permit vehicular access on agreed routes as identified in UP3 Map of Agreed routes for vehicular access. Do not create new tracks for vehicle access.		
P35		There must be no supplementary feeding.		
P441		Only carry out mechanical operations or allow other activities that may cause disturbance to breeding birds between 1 September and 28 February.		
P593		Only graze the parcel in accordance with the stocking calendar which includes minimum and maximum stocking rates by grazing animal type by month.		
P666		Maintain an annual record of active graziers with their numbers and types of stock for the period of the agreement.		
P673		Agree all drainage works, including modification to existing drainage, in writing with Natural England before undertaking any works.		
P705	Keep a monthly record of stock numbers grazing on the parcels. The record must include the number of animals by species cattle/sheep and the number of grazing days by each species. Make the record available on request.			

	P715	Where there is vegetation that has over 50% cover of heather and exceeds 30cm in height: Burning and / or cutting on blanket bog and wet heath areas shown on the BEHTA map may be carried out only as part of a restoration plan or wildfire risk management plan agreed with Natural England.
	P718	Notify any accidental burns, those that do not follow good practice or any burns that affect areas that should not be burned to Rural Payments Agency within one week.
Indicators of Success (not binding)	IOS107	
	IOS108	
	IOS109	
	IOS110	For areas of blanket bog there should be: By year 5, at least frequent bog-mosses (Sphagnum), with less than 10% damaged (dead/bleached or crushed/broken/pulled). By year 5, between 20% and 75% cover of dwarf shrubs (except when bog-mosses (Sphagnum) or other wetland indicators are dominant), with at least two species at least frequent. By year 5, at least frequent flowering cotton-grass/grasses and sedges/heathers and / wetland herbs in season. By year 5, cover of cotton-grass, deer-grass and purple moor-grass individually less than 75%.
	IOS111	
	IOS112	
	IOS113	
	IOS114	
	IOS115	
	IOS42	
	IOS43	
	IOS44	

ANNEX 1: COUNTRYSIDE STEWARDSHIP UP3 STOCKING CALENDARS

Name of agreement holder: Andrew Cockett

Farm name:

SBI: 200827092

Agreement reference: 1487918

Agreement start date: 1 January 2024

UP3 MANAGEMENT OF MOORLAND

RLR parcel number(s): SD69776097

Name: Kingsdale

Area of grazing unit: 33.77ha

Annual average 2.6LU (or 0.077LU/ha)

Maximum and minimum grazing livestock numbers

	Hill ewes and lambs and/or hoggs (0.08LU)		Cattle (small breed) >24 months (0.6LU)		Cattle (small breed) 6 to 24 months (0.5LU)		Total as LUs*		LU/ha (max)	Notes		
	Min	Max	Min	Max	Min	Max	Min	Max				
Jan	0	0	0	0	0	0	0	0	0	No winter grazing, to protect blanket bog and dwarf shrubs.		
Feb	0	0	0	0	0	0	0	0	0			
Mar	0	0	0	0	0	0	0	0	0			
Apr	0	0	0	0	0	0	0	0	0			
May	0	65		0	0	0	0	0	5.2	0.15	Parcels should be lightly grazed with sheep or cattle during this period, to remove grass growth. Small breed cattle can graze from June to Oct, up to max 5.2LU, if ground conditions are suitable. Cattle are preferred to achieve more varied sward structure.	
June	0	65	OR	0	8	OR	0	10	0	5.2		0.15
July	0	65	OR	0	8	OR	0	10	0	5.2		0.15
Aug	0	65	OR	0	8	OR	0	10	0	5.2		0.15
Sept	0	65	OR	0	8	OR	0	10	0	5.2		0.15
Oct	0	65	OR	0	8	OR	0	10	0	5.2	0.15	
Nov	0	0		0	0		0	0	0	0	0	No winter grazing.
Dec	0	0		0	0		0	0	0	0	0	

Minimum stocking rates are not specified, as there may be times when stock are not present in the parcels. However, it is expected that the parcels are grazed between June and end of October, to achieve the agreement prescriptions and indicators of success.

*Livestock Units vary depending on the breed and age. Small breeds include Belted Galloway, Galloway, Dexter, Highland. See tables below.

Table 2. Animal weight categories

Animal	Liveweight (kg)		
	Small	Medium	Large
Ovine - Sheep	< 50	50 - 70	>70
Bovine - Cattle	<500	500-700	>700

Table 3. Livestock unit values for grazing livestock of different weights

Animal	Livestock unit		
	Small	Medium	Large
Ewe (including lambs at foot)	0.08	0.1	0.15
Ewe followers and store lambs	0.06	0.08	0.1
Dairy cow row	0.8	1.0	1.1
Suckler cow (including calf at foot)	0.7	0.9	1.1
Other cattle >24months	0.6	0.7	1.0
Weaned cattle <24 months	0.5	0.6	0.7

Table 4. Liveweight categories for common domestic grazing livestock

heading 1 Type	heading 2 Breeds
Large ewe (>70 kg)	Bluefaced Leicester, Border Leicester, Cambridge, Charollais, Dorset Horn, Dorset Down, Greyface, Hampshire Down, Lleyn, Masham, Mule, NC Cheviot, Oxford, Scotch Halfbred, Suffolk, Texel, Lincoln longwool, Leicester longwool, Devon and Cornwall longwool, Dartmoor Greyface, Romney, Wiltshire Horn, Cotswold
Medium ewe (50 kg - 70 kg)	<i>Cheviot, Hill Radnor, Whitefaced Woodland, Devon Closewool, Jacob, Southdown, Beulah Speckled Face, Derbyshire Gritstone, Whitefaced Dartmoor, Norfolk Horn, Ryeland, Lonk, Kerry Hill, Llanwenog, Scottish Blackface, Brecknock Hill Cheviot, Clun Forest, Rough Fell, Welsh Hill Speckleface</i>
Small/Hill ewe (>50 kg)	<i>Dalesbred, Exmoor Horn, Herdwick, Swaledale, Welsh Mountain, Portland, Balwen, Badger Faced Welsh, Hebridean, Hill Radnor, Manx Loghtan, North Ronaldsay, Shetland, Soay, Black Welsh Mountain</i>
Large Dairy cow (> 700 kg)	Holstein, Friesian, Ayrshire, Dairy Shorthorn
Medium Dairy Cow (500 kg - 700 kg)	Guernsey
Small Dairy Cow (< 500 kg)	Jersey
Large beef cow (>700 kg)	South Devon, Salers, Limousin, Simmental, Charolais, Sussex, Beef shorthorn, Lincoln, Hereford (regular)
Medium beef cow (500 kg - 700 kg)	Hereford (traditional), Gloucester, North (Ruby) Devon, Whitebred Shorthorn, A Angus (ordinary), Longhorn, Luing, Sussex, Welsh Black, <i>Blue-Grey</i>
Small beef cow (< 500 kg)	<i>Galloway, Dexter, Highland, Belted Galloway, Aberdeen Angus (original), Irish Moiled, Shetland</i>